

[illegible][illegible]

|                       |              |                    |         |
|-----------------------|--------------|--------------------|---------|
| Examiner<br>Signature | MICHAEL PAUL | Date<br>Considered | 3-15-05 |
|-----------------------|--------------|--------------------|---------|

SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450. Computer generated form "IDS Form" (IDS Folder), Merck & Co., Inc., 09/05/2003

|                                   |  |                          |               |
|-----------------------------------|--|--------------------------|---------------|
| Substitute for form 1449B/PTO     |  | <b>COMPLETE IF KNOWN</b> |               |
| <b>INFORMATION DISCLOSURE</b>     |  | Application Number       | 10/090,090    |
| <b>STATEMENT BY APPLICANT</b>     |  | Filing Date              | March 4, 2002 |
| (use as many sheets as necessary) |  | First Named Inventor     | Fang Chen     |
| 2 of 3                            |  | Group Art Unit           | 1640          |
|                                   |  | Examiner Name            | MICHAEL PDL   |
|                                   |  | Attorney Docket Number   | 20084YCA      |

| NON PATENT LITERATURE DOCUMENTS |          |  |
|---------------------------------|----------|--|
| Examiner Initials*              | Cite No. | Include name of the author, title, date, page(s), volume-issue number(s) and place of publication.   |
| MDP                             | AA       | Bertilsson et al. 'Identification of a human nuclear receptor defines a new signaling pathway for CYP3A induction', Proc. Natl. Acad. Sci USA, Vol 95, pp 12208-12213 (Oct 1998)   |
| ↑                               | AB       | Baker et al. 'Cloning and expression of full-length cDNA encoding human vitamin D receptor', Proc. Natl Acad. Sci, Vol 85, pp 3294-3298 (May 1988)   |
|                                 | AC       | Baes et al. 'A New Orphan Member of the Nuclear Hormone Receptor Superfamily that Interacts with a Subset of Retinoic Acid Response Elements', Molecular and Cellular Biology, Vol 14, No. 3 pp 1544-1552 (March 1994)         |
|                                 | AD       | Hollenberg et al. 'Primary structure and expression of a functional human glucocorticoid receptor cDNA', Nature Vol. 318 pp 635-641 (Dec 1985)   |
|                                 | AE       | Lubahn et al. 'The Human Androgen Receptor: Complementary Deoxiribonucleic Acid Cloning, Sequence Analysis and Gen Expression Prostate', Mol. Endo. Vol 2, No 12, pp 1266-1275 (1988)  |
|                                 | AF       | Mosselman et al. 'ER Beta: identificaiton and characterization of a novel human estrogen receptor', FEBS Letters 392, pp 49-53 (1996)  |
|                                 | AG       | Power et al., 'New insights into activation of the steroid hormone receptor superfamily', Trends in Pharm. Sci. 13: 318-323 (Aug. 1992)  |
|                                 | AH       | Tsai et al., 'Molecular Mechanisms of Action of Steroid/Thyroid Receptor Superfamily Members', Annu. Rev. Biochem. 63: 451-486 (1994)  |
|                                 | AI       | Tontonoz et al. 'Stimulation of Adipogenesis of Fibroblasts by PPAR 2, a Lipid-Activated Transcription Factor', Cell, Vol 79, pp 1147-1156, Dec 30, 1994   |
|                                 | AJ       | Lehmann et al. 'An Antidiabetic Thiazolidinedione is a High Affinity Ligand for Peroxisome Proliferator-activated Receptor Gamma (PPAR Gamma): The Jour. of Biol. Chem. Vol 270, No. 22 issue of June 2; pp 12953-12956, 1995. |
|                                 | AK       | Mangelsdorf et al. 'The RXR Heterodimers and Orphan Receptors', Cell 83: 841-850 (1995)  |
|                                 | AL       | Teboul et al. 'Thiazolidinediones and Fatty Acids Convert Myogenic Cells in Adipose like Cells, The Jour. of Biol. Chem. Vol 270, No. 47, issue of November 24, pp 28183-28187 (1995)  |
|                                 | AM       | Lehman et al. 'The Human Orphan Nuclear Receptor PXR is Activated by Compounds that Regulate CYP3A4 Gene Expression and Cause Drug Interactions', J. Clinical Investigation 102: 1016-1023 (1998)                              |
| ↓                               | AN       | Giguere et al. 'Identification of a New Class of Steroid Hormone Receptors', Nature Vol 331, No. 6151, Jan 7, 1998 pp 91-94  |
| MDP                             | AO       | Lehmann et al. 'Homo sapiens orphan nuclear receptor PR mRNA', Sept. 3, 1998; AC No: AF061056  |

|                    |             |                 |         |
|--------------------|-------------|-----------------|---------|
| Examiner Signature | MICHAEL PDL | Date Considered | 3-15-05 |
|--------------------|-------------|-----------------|---------|

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

[illegible]

|                       |              |                    |         |
|-----------------------|--------------|--------------------|---------|
| Examiner<br>Signature | MICHAEL PHIL | Date<br>Considered | 3-15-05 |
|-----------------------|--------------|--------------------|---------|

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

**SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.**

Computer generated form "IDS Form" (IDS Folder), Merck & Co., Inc., 09/05/2003